



Job-ready... just like you.

If you need a new truck, there are two ways to go about it. The first, buy a cab-chassis and have a body made and fitted by a body-builder. Then after a wait of up to 12 weeks, you can finally get to work. Or simply visit your Isuzu Dealer and do it all with just one stop and no waiting. That's because we have a comprehensive range of bodied trucks designed and built to our specifications. They come with everything, including our comprehensive factory warranty, which also covers the body. And best of all, they're ready to go.





Ready-to-Work Range.

If you need a truck without the wait, check out our Ready-to-Work range. A comprehensive selection of bodied trucks designed and built to our specifications, they come with the lot, including a comprehensive 3 year factory warranty on the body itself. And best of all, they're ready and raring to go.

Traypack

The Ready-to-Work Traypack is available in short and medium wheelbases, and also as a crew cab, with a truck-sized aluminium tray, so it carries bigger payloads for bigger paydays. Yet it's nimble enough to go wherever your work takes you. Also available with Independent Front Suspension on selected models.

Tipper

The Tipper range starts with car licence models capable of carrying around two tonnes, right up to NQR Tipper with even bigger payloads and more flexibility. And our Tri-Tipper has a unique three-way tipping ability that gives you even more capability from any angle.

Tradepack

If you're a tradie with big plans, this is your truck. Whether you're a builder, plumber or landscaper, the Isuzu Tradepack will transport your business to the next level. Models are available to suit a car licence (4.5T GVM) or a truck licence (5.5T GVM).

Vanpack

When it comes to convenience and comfort, the Ready-to-Work Vanpack really delivers the goods. Or the furniture. Or whatever else that needs delivering. Along with an impressive range of safety features. If you've got a small delivery business, go to town in a Vanpack.

Servicepack

Imagine a toolbox on wheels and you'll get a good idea of our Servicepack and Servicepack X (as pictured). Both trucks feature durable powder coated steel bodies and come with integrated central locking on doors and lockers with adjustable internal shelving.

Freightpack

The Ready-to-Work Freightpack is available in six models, with a choice of 10-pallet, 12-pallet or 14-pallet curtain-side body configurations. Loaded with features for all round safety and productivity.



Tradepack. 4,500 to 5,500kg GVM

If you're a tradie with big plans this is your truck. Whether you're a builder, plumber or landscaper, the Isuzu Tradepack will transport your business to the next level. Models are available to suit a car licence (4.5T GVM) or a truck licence (5.5T GVM).


- 155PS (114kW), 5.2 litre Isuzu diesel engine with DOC (Diesel Oxidation Catalyst).
- Isuzu 6-speed manual or 6-speed AMT (Automated Manual Transmission).
- 4.5m x 2.1m heavy duty tray with 2 piece drop
- 3.4m x 2.1m heavy duty tray with drop sides (SWB).
- Two-piece drop-sides, heavy duty reinforced aluminium Isuzu multimedia system with 6.2inch screen, ladder racks, tow bar and bullbar.
- Standard 3,500kg tow bar with optional 4,500kg and 70mm ball.

- Reversing camera standard.
- Cornering lamps.
- Wide, three-seater, first-class cab.
- Spring-suspension driver's seat.
- Automatic climate control.
- Electronic Stability Control (4x2 models).
- Advanced Driver Assistance Systems (4x2 models).
- digital radio, DVD, MP3, voice-control and Bluetooth.
- Driver and passenger airbags, ABS and ASR.
- Cruise control.

THE TRAY COMES **FULLY LOADED.**



The Tradepack's built-in tray includes a heavy duty headboard with chrome grille, drop sides and tie rails. The ladder rack design has been upgraded for heavier loads. Its aluminium construction means a light tare weight without compromising body integrity or strength.





CLEAN MACHINE.

Some jobs can get dirtier than others. But that doesn't mean you need to bring that dirt into your cab. Or get it all over your lunch. A clever wash station means that when the tools go down, you can clean up right there and then. Available on premium models.

ENOUGH TO TURN ANY UTE OWNER'S HEAD.

Most of our Tradepack models can be driven with a car licence. They also have a better turning circle than many utes. Take one for a spin to see for yourself.



STEP RIGHT UP.

The Tradepack is now even easier to load and unload. We've added a handy pullout step at the rear of the truck to give you safe access to the steel tray and ladder rack. Available on premium models.



Traypack.
4,500 to 5,500kg GVM

The Ready-to-Work Traypack does everything your average ute can do and more.

Available in short and medium wheelbases with a truck-sized aluminium tray, it carries bigger payloads for bigger paydays. Yet it's nimble enough to go wherever your work takes you.

Also available with Independent Front Suspension on selected 4x2 and AWD models.

- 150PS (110kW) Isuzu diesel engine.
- 5-speed manual and 6-speed AMT.
- Short and medium wheelbase options.
- First-class cabs come standard with three seats and 7 seats in crew.
- Up to 4.0t towing capacity with suitable genuine towing attachment.
- Cornering lamps.
- Electronic Stability Control (4x2 models).
- All-Wheel-Drive available with 5-speed manual variant.
- Advanced Driver Assistance Systems (4x2 models).

- Isuzu multimedia system with 6.2inch screen, digital radio, DVD, MP3, voice-control and Bluetooth.
 Coil spring IFS, Independent Front Suspension (4x2 models).
- Coll spring it 3, independent Front Suspension (4x2 models).
- Spring suspended drivers seat (Single cab 4x2 models).
- Driver and passenger side airbags, ABS and ASR (4x2 models).
- Reversing camera standard.





THE HEAVYWEIGHT OF LIGHTWEIGHT TRAYS.

The Traypack's built-in tray includes a strong heavy duty headboard with chrome grille, drop sides and tie rails. Constructing it in aluminium means a light tare weight that doesn't compromise on body integrity or strength.

WELCOME ABOARD.

Got the whole team or just travelling solo? The Traypack comes in single and crew cabs to carry you all in comfort. Crew variants are available for the NNR model.





WATCH YOUR BACK.

Reversing cameras are a luxury in many trucks. Not so with an Isuzu Traypack. It comes standard with a seriously clever rear camera. It doesn't just make reversing safer, you can use it to check your trailer when you're driving forward too."



Tipper. 4,500 to 14,000kg GVM

Many of our Tipper Range can be driven with a car licence. The Tri-Tipper has a unique three-way tipping ability that gives you even more capability from any angle. The Tipper range starts with car licence models capable of carrying around 2 tonnes, right up to the FSR Tipper with even bigger payloads and more flexibility.

- Efficient Isuzu common rail turbo diesel engines 150 260PS.*
- A full range of transmissions available with manual, automatic, and automatic manual transmission (AMT) options.*
- Driver and passenger side airbags, and ABS.
- Anti-Skid Regulator (ASR) (not on NLS).
- First-class cabs come standard with three seats (7 in crew cabs).
- Up to 4.5t towing capacity on a car licence with suitable genuine towing attachment.
- Cornering lamps.
- Isuzu Electronic Stability Control (IESC).*
- Advanced Driver Assistance Systems (N Series 4x2 models).
- Isuzu multimedia system with 6.2 inch screen, iTuner and text to speech SMS.

*Selected models.

TIP FORWARDS, BACKWARDS AND SIDEWAYS FROM YOUR SEAT.

Muddy sites, freezing cold weather, all that climbing in and out of the cab. Our tipper control is mounted in-cab mounted so that you can stay in your seat and avoid it all.



OUR RANGE RISES TO THE CHALLENGE.

Isuzu Tipper models come loaded with features to take on most any job. GVMs start from 4,500kg and go up to 14,000kg. The all-steel tipper decks range from 3.2-6.0mm in thickness depending on model, while an auto-release two-way tailgate comes standard. Plus the hydraulic hoist takes just 20 seconds to go up or down. It's all backed by our 3-year Factory Warranty.







FROM ANY ANGLE, A MORE CAPABLE TIPPER.

The NMR tri-tipper has a special three-way tray. It tips backwards like a standard tipper. But it also tips both left and right, making it handy for jobs in hard-to-reach places. No other tipper can top that.

JOINED AT THE TIPPER.

Rather than fitting an aftermarket tipper body like others do, our Tippers are fully manufactured in Japan. The Isuzu chassis and all-steel Shinmaywa bodies are precision matched, feature a 20-second up/down hydraulic hoist and are covered by a full factory warranty.

THE BEST SEAT IN THE BUSINESS.

The ISRI 6860 driver's seat is the CEO of air-suspension seating. It's standard in our FRR and FSR Tipper models. Its ergonomic features include dual-stage air lumbar/lateral support, integrated pneumatic system, adjustable shock-absorber and body-hugging upholstery from head to knee.



Servicepack. 4,500 to 7,500kg GVM

The Servicepack and Servicepack X (as pictured) both feature durable powder coated steel bodies and come with integrated central locking on doors and lockers with adjustable internal shelving.

- Efficient Isuzu common rail turbo diesel engines 150-155PS* (110-115kW).
- 5-speed manual, 5-speed AMT and 6-speed manual transmission options available.*
- Driver and passenger side airbags, and ABS.
- Anti-Skid Regulator (ASR) (not on NLS).
- First-class cabs come standard with three seats (up to 7 in crew cabs).

- Isuzu Electronic Stability Control (IESC).*
- Advanced Driver Assistance Systems (4x2 models).
- Isuzu multimedia system with 6.2 inch screen, iTuner and text to speech SMS.
- Available in 4x2, 4x4 and AWD.

Need something for tight places? Pick the short wheelbase (SWB) Servicepack. It has a smaller tray overhang to make parking easier in any average residential street or driveway.





TRUCK-SIZED TOOL TROLLEY.

There's a place for everything in our Servicepack range. Lockable separate storage boxes mean you can get your hands on your tools and gear quickly. Open up the easy-access gullwing doors and you'll find a large spacious central unit that makes storage even more versatile.



BUILT LIKE A TRUCK. HANDLES LIKE A CAR.



TONS OF SPACE, NO INVADERS.

The central locking system of our Servicepack X also locks up all of the back too. That's all of the tool and storage boxes along the sides and the large spacious storage unit at the rear. Just click your key and you know your gear is safe from invasion at all times.



Vanpack. 4,500kg GVM

When it comes to convenience and comfort, the Ready-to-Work Vanpack really delivers the goods.

Or the furniture. Or whatever needs delivering. Along with an impressive range of safety features.

If you've got a small delivery business, go to town in a Vanpack.

- 150PS (110kW) 3.0 litre Isuzu diesel engine with DPD (Diesel Particulate Diffuser).
- Isuzu 6-speed TC-AMT (Torque Converter Automated Manual Transmission).
- All steel construction, 19m³ Van Body
- 4.3m(L) x 2.2(W) x 2.1(H).
- Advanced Driver Assistance Systems.
 Heated and powered exterior mirrors.

- Medium wheelbase.
- Cornering lamps.
- First-class cabs come standard with three seats.
- Driver and passenger side airbags, ABS and ASR.
- Isuzu Electronic Stability Control (IESC).
- Isuzu multimedia system with 6.2 inch screen, iTuner and text to speech SMS.

A LICENCE TO GROW YOUR BUSINESS.

Your car licence is all you need to drive a Vanpack. Its 4m x 2m pantech body can swallow more loads then your typical van. And bigger payloads mean bigger paydays.





MORE TORQUE. MORE ACTION.

The Automated Manual Transmission with Torque Converter (TC-AMT) in the Vanpack has been designed for Australian conditions. Its revised gear ratios and kick-down control switch on the accelerator means car-like responsiveness right off the mark.



FASTER SAFETY REFLEXES.

The Vanpack comes standard with Isuzu Electronic Stability Control (IESC). This technology detects when your wheels begin to slip. It then delivers power or applies brakes where it's needed to help you stay in control.

THE TECH IN OUR PANTECH.

Our 4m x 2m pantech body is made from fibreglass honeycomb panels. These increase strength and stiffness while reducing weight. Barn doors with camlocks allow secure access. The body also includes internal tie down rails and interior LED lighting, all protected by an aluminium roof.





Freightpack. 11,000 to 24,000kg GVM

The Ready-to-Work Freightpack is available in six models, with a choice of 10-pallet, 12-pallet or 14-pallet curtain-side body configurations. Loaded with features for all round safety and productivity.

- Efficient Isuzu common rail turbo diesel engines 240PS, 260PS and 300PS.
- 4 and 6 cylinder engines options.
- Isuzu 6-speed AMT and Allison Automatic.
- ISRI Air Suspension drivers seat on all models.
- First-class cabs come standard with three seats.
- Isuzu Electronic Stability Control (IESC).*

- Safety yellow coloured body steps and grab handles.
- LED lighting for body interior and access steps.
- Isuzu multimedia system with 6.2 inch screen, iTuner and text to speech SMS.
- Driver and passenger side airbags, ABS and ASR.

 *Selected models.



NO MORE SHIFT WORK.

The Allison 6-speed HD4430 automatic transmission eliminates shifting and helps reduce fatigue. A favourite of drivers the world over, the Allison is available on many of our Freightpack models.

Or you can opt for an Automated Manual Transmission (AMT) for smooth, car-like drivability.



MAKES LIGHT WORK.

Freight is on the move 24/7. That's why all Freightpack bodies come fitted with LED interior strip lighting and halo lights. So you can keep working safely even after the sun goes down.



DOCK AND LOAD.

Easy glide curtains with quick release latches and docking rubbers mean faster loading and unloading of your cargo. Because time is money.



SLIPS MORE MONEY BACK INTO YOUR POCKET.

The Freightpack has a tailored air deflector to reduce on-road wind resistance. Less resistance lowers your fuel consumption and saves you money.



THE BEST SEAT IN THE BUSINESS.

The ISRI 6860 driver's seat is the CEO of air-suspension seating, and comes standard in all freightpack models. Its ergonomic features include dual-stage air lumbar/lateral support, integrated pneumatic system, adjustable shock-absorber and body-hugging upholstery from head to knee.





AEB ADVANCED EMERGENCY BRAKING.

If the driver fails to brake in the case of a pedestrian, cyclist or other vehicle appearing unexpectedly, the AEB system brakes automatically to avoid or mitigate a collision. The brake light will be illuminated during this process.



LDW LANE DEPARTURE WARNING.

LDW detects lane markings or road edges and if the driver wanders out of their lane, it sounds a warning. The driver can select two sensitivity settings, or switch OFF.



DWS DISTANCE WARNING SYSTEM.

DWS helps you maintain a safe distance from the vehicle ahead by giving a warning if a pre-set distance is reached. (You can choose from four pre-set minimum distances).



TMW TRAFFIC MOVEMENT WARNING.

The Traffic Movement Warning system monitors stationary vehicles in front of your truck. If the vehicle immediately ahead moves more than the set distance and you don't follow along, a warning sounds. A very handy touch at traffic lights and pedestrian crossings.



ESC ELECTRONIC STABILITY CONTROL.

ESC uses data from a number of sensors, to monitor driver input and vehicle control. If it detects understeer, oversteer or roll-over, ESC can override driver input, reduce power and/or apply individual wheel braking and assist the driver to maintain vehicle control.


Another set of eyes on the road.

In each of our N Series trucks, there's a stereo safety camera mounted unobtrusively on the dashboard. Using two lenses means that these cameras "see" the road much like a set of human eyes, precisely detecting and measuring the size, distance, and velocity of other vehicles, pedestrians, and cyclists.

DWS helps you maintain a safe distance from the vehicle ahead by giving a warning if a pre-set distance is reached. (You can choose from four pre-set minimum distances).

PART OF A SMART SAFETY SYSTEM.

Isuzu's Advanced Driver Assistance Systems (ADAS) has been developed to help keep all road users safe and the stereo camera provides data to a host of the intelligent safety features like Advanced Emergency Braking (AEB), Lane Departure Warning (LDW), Distance Warning System (DWS), and Traffic Movement Warning (TMW).







ONE VERY CLEVER CAMERA.

The stereo camera is mounted on the dashboard to detect children and low-height objects. Using accident data, we've prioritised detecting of pedestrians and bicycles in the low speed range, making the system ideal for urban locations. Thanks to the light distribution of the vehicle, the stereo camera system can even detect objects at night. The camera can even detect objects when they are partially obstructed.

Active safety features.

With active safety technology on board, a system of sensors constantly monitor the truck's performance and surroundings. The aim is to prevent accidents before they happen, but if a collision is unavoidable, active safety features help reduce the impact.



ASR detects when either rear wheel is spinning faster than the other on a loose surface, then reduces torque and/or applies the spinning wheel's brake to improve traction.



CUSTOMISABLE SPEED LIMITER (CSL).

Standard on NPR, NPS, NQR models. By measuring the vehicle speed signal and the engine speed, the CSL controls the fuel injection volume to the engine so that the truck can't exceed a pre-set speed. (Speed is set and fixed at Isuzu Truck dealer Service Department.)



ANTI-LOCK BRAKING SYSTEM (ABS).

ABS determines if a wheel is locked and not turning. It then releases the locked wheel brake and reapplies pressure to reduce locking and maintain control, allowing the driver to effectively steer and brake at same time.



AUTOMATIC LIGHTING SYSTEM (ALS).

ALS monitors exterior light levels and automatically turns on the headlights and tail-lights if needed.



HILL START AID (HSA).

HSA is included on trucks with manual transmissions. When the brake pedal is applied on a hill, the brake pressure is maintained until the clutch is released (or eight minutes) so that the truck won't roll backwards when starting.



CAB TILT WARNING (CTW).

If the cab tilt is not fully locked, the CTW sounds an alarm and flashes an alert light on the multi-information display.



LDW detects lane markings or road edges and if the driver wanders out of their lane, it sounds a warning. The driver can select two sensitivity settings, or switch OFF.

Passive safety features.

Passive safety technology is designed to lessen the consequences of an accident by preventing or managing the forces of any impact. While these features are sometimes referred to as 'secondary' safety technology, they are critical for preventing injuries and saving lives.





Turning into laneways and driveways, as you know, can be tricky. Especially at night. That's when our clever cornering lamps come into play. Turning on your indicators turns them on as well, while your headlights still aim forwards.



DUAL AIRBAGS - DRIVER & FRONT PASSENGER.

In the event of a collision, the Supplementary Restraint System (SRS) will determine if the incident is above certain intensity, airbags are deployed in a split second to cushion the cabin occupants and help reduce any injuries.



SEATBELT PRE-TENSIONER - DRIVER & FRONT PASSENGER.

If it senses sharp braking that indicates an accident, the Seatbelt Pre-tensioner automatically tensions the seatbelt to pull the occupant back into the seat and reduce the chance of injuries.



ANTI-INTRUSION BARS.

Additional reinforcement installed into the door structure. Anti-Intrusion Bars protect cabin occupants in case of an incident.



ECE-R29 CABIN.

A certification based on a United Nations global test, the ECE-R29 cabin rating means that the truck's cab has been designed to withstand excessive deforming in case of an incident. This rating isn't currently mandatory in Australia, but cabins that are ECE-R29 rated generally offer superior occupant protection.





A cabin made for comfort.

driving to a worksite, a little comfort is always welcome. Well, that's what you'll experience every time you climb into an Isuzu cabin. A lot of thought has gone into creating a space that's easy to navigate and easy on the body.



CARRY LOADS IN THE CAB.

Jump into an Isuzu cabin and you'll notice stacks of storage space for all your stuff. And if you're carrying workmates as well, they'll find generous stretch-out legroom.

SMOOTH THE ROAD.

The non-stop bumps of a long haul can lead to one very sore and weary driver. But our F Series, NPR and NQR single cab models include a contoured suspension driver's seat to absorb the jolting



SET YOUR STEERING WHEEL YOUR WAY.

The N Series steering wheel tilts and telescopes, so it's a snap to find a driving position that's still comfortable at the end of a long shift. A thoughtful touch your neck and shoulders will appreciate.

CLIMATE CHANGE YOU CONTROL.

Some of us run hot, while others feel the cold. Either way, with auto climate control on board the N series, you'll always be just right (until you have to get out onto the jobsite, of course).




MULTIMEDIA.

With our Isuzu Multimedia System, you can navigate through the simple menu to play your favourite songs or (digital) station, or, for even greater convenience and safety, use voice-controls for many of the functions available. Hands-free Bluetooth is standard, and sat-nav and tyre-pressure monitoring are optional.* *At additional cost.









6HK1-TCS

6HK1-TCS produces 221kW power and 981Nm torque and is standard on FVD, FVL, FVM, FVR, FVY and FVZ models.




6HK1-TCC

6HK1-TCC produces 191kW power and 761Nm torque and is standard on FRR, FRD, FSR and FSD models.




4JJ1-TCS

4JJ1-TCS produces 110kW power and 375Nm torque and is standard on NLR, NLS and NNR models.



4HK1-TCN

4HK1-TCN produces 114kW power and 419Nm torque and is standard on NPR 45/55 and NPS models.



4HK1-TCC

4HK1-TCC produces 140kW power and 513Nm torque on selected NPR models and is standard on NQR models.

SPECIFICATIONS

Traypack Range

| MODEL | CAB | GVM (kg) | GCM (kg) | Max Towing (kg) | TRANSMISSION (GEARS/TYPE) | ENGINE | POWER (kW@RPM) | TORQUE (Nm@RPM) | WHEELBASE (mm) | BODY (m) |
|------------------------------------|----------|---------------|----------|-----------------|---------------------------|----------|----------------|---------------------|----------------|-----------|
| NLR 45-150 SWB TRAYPACK | N Narrow | 4,500 | 8,000 | 4,000 | 5-speed manual | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 3.1 x 2.0 |
| NLR 45-150 SWB AMT TRAYPACK | N Narrow | 4,500 | 8,000 | 4,000 | 6-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 3.1 x 2.0 |
| NLS 45-150 AWD TRAYPACK | N Narrow | 4,500 | 8,000 | 4,000 | 5-speed manual | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 3.4 x 2.0 |
| NLR 45-150 MWB TRAYPACK | N Narrow | 4,500 | 8,000 | 4,000 | 5-speed manual | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Medium | 4.5 x 2.0 |
| NLR 45-150 MWB AMT TRAYPACK | N Narrow | 4,500 | 8,000 | 4,000 | 6-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Medium | 4.5 x 2.0 |
| NNR 55/45-150 AMT MWB IFS TRAYPACK | N Wide | 5,500 / 4,500 | 8,000 | 4,000 | 6-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Medium | 4.5 x 2.0 |
| NNR 45-150 AMT CREW IFS TRAYPACK | N Wide | 4,500 | 8,000 | 4,000 | 6-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Medium | 3.6 x 2.0 |

Tradepack Range

| MODEL | CAB | GVM (kg) | GCM (kg) | Max Towing (kg) | TRANSMISSION (GEARS/TYPE) | ENGINE | POWER (kW@RPM) | TORQUE (Nm@RPM) | WHEELBASE (mm) | BODY (m) |
|-------------------------------------|--------|---------------|----------|-----------------|---------------------------|----------|----------------|---------------------|----------------|-----------|
| NPR 45/55-155 SWB TRADEPACK | N Wide | 4,500 / 5,500 | 9,000 | 4,500 | 6-speed manual | 4HK1-TCN | 114 @ 2,600 | 419 @ 1,600 - 2,600 | Short | 3.4 x 2.1 |
| NPR 45/55-155 SWB PREMIUM TRADEPACK | N Wide | 4,500 / 5,500 | 9,000 | 4,500 | 6-speed AMT | 4HK1-TCN | 114 @ 2,600 | 419 @ 1,600 - 2,600 | Short | 3.4 x 2.1 |
| NPR 45/55-155 MWB TRADEPACK | N Wide | 4,500 / 5,500 | 9,000 | 4,500 | 6-speed manual | 4HK1-TCN | 114 @ 2,600 | 419 @ 1,600 - 2,600 | Medium | 4.5 x 2.1 |
| NPR 45/55-155 MWB PREMIUM TRADEPACK | N Wide | 4,500 / 5,500 | 9,000 | 4,500 | 6-speed AMT | 4HK1-TCN | 114 @ 2,600 | 419 @ 1,600 - 2,600 | Medium | 4.5 x 2.1 |

Vanpack

| MODEL | CAB | GVM (kg) | GCM (kg) | Max Towing (kg) | TRANSMISSION (GEARS/TYPE) | ENGINE | POWER (kW@RPM) | TORQUE (Nm@RPM) | WHEELBASE (mm) | BODY (m) |
|------------------------|--------|----------|----------|-----------------|---------------------------|----------|----------------|---------------------|----------------|-----------------|
| NNR 45-150 AMT VANPACK | N Wide | 4,500 | 8,000 | 4,000 | 6-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Medium | 4.3 x 2.2 x 2.0 |

Servicepack Range

| MODEL | CAB | GVM (kg) | GCM (kg) | Max Towing (kg) | TRANSMISSION (GEARS/TYPE) | ENGINE | POWER (kW@RPM) | TORQUE (Nm@RPM) | WHEELBASE (mm) | BODY |
|-------------------------------------|----------|---------------|----------------|-----------------|---------------------------|----------|----------------|---------------------|----------------|-----------------|
| NLR 45-150 AMT SWB SERVICEPACK | N Narrow | 4,500 | 8,000 | 4,000 | 6-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | Locker box type |
| NLR 45-150 AMT SWB SERVICEPACK X | N Narrow | 4,500 | 8,000 | 4,000 | 6-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | Gullwing type |
| NLS 45-150 AWD SERVICEPACK X | N Narrow | 4,500 | 8,000 | 4,000 | 5-speed manual | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | Gullwing type |
| NPR 45/55-155 AMT SWB SERVICEPACK | N Wide | 4,500 / 5,500 | 9,000 | 4,500 | 6-speed AMT | 4HK1-TCN | 114 @ 2,600 | 419 @ 1,600 - 2,600 | Short | Locker box type |
| NPR 45/55-155 AMT MWB SERVICEPACK X | N Wide | 4,500 / 5,500 | 9,000 | 4,500 | 6-speed AMT | 4HK1-TCN | 114 @ 2,600 | 419 @ 1,600 - 2,600 | Medium | Gullwing type |
| NPS 75/45-155 AMT 4X4 SERVICEPACK X | N Wide | 7,500 / 4,500 | 11,000 / 9,000 | 4,500 | 5-speed AMT | 4HK1-TCN | 114 @ 2,600 | 419 @ 1,600 - 2,600 | Medium | Gullwing type |

Tipper Range

| MODEL | CAB | GVM (kg) | GCM (kg) | Max Towing (kg) | TRANSMISSION (GEARS/TYPE) | ENGINE | POWER (kW@RPM) | TORQUE (Nm@RPM) | WHEELBASE (mm) | BODY (m³) |
|------------------------------|----------|-----------------|----------------|-----------------|---------------------------|----------|----------------|---------------------|----------------|-----------|
| NLR 45-150 TIPPER | N Narrow | 4,500 | 8,000 | 4,000 | 5-speed manual | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 2 |
| NLR 45-150 AMT TIPPER | N Narrow | 4,500 | 8,000 | 4,000 | 5-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 2 |
| NMR 60/45-150 TIPPER | N Narrow | 6,000 / 4,500 | 9,500 / 9,000 | 4,000 | 5-speed manual | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 2 |
| NMR 60/45-150 AMT TIPPER | N Narrow | 6,000 / 4,500 | 9,500 / 9,000 | 4,000 | 6-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 2 |
| NMR 60/45-150 TRI-TIPPER | N Narrow | 6,000 / 4,500 | 9,500 / 9,000 | 4,000 | 5-speed manual | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 2 |
| NMR 60/45-150 AMT TRI-TIPPER | N Narrow | 6,000 / 4,500 | 9,500 / 9,000 | 4,000 | 6-speed AMT | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 2 |
| NLS 45-150 AWD TIPPER | N Narrow | 4,500 | 8,000 | 4,000 | 5-speed manual | 4JJ1-TCS | 110 @ 2,800 | 375 @ 1,600 - 2,800 | Short | 2.1 |
| NPR 45/55-155 TIPPER | N Wide | 4,500 / 5,500 | 9,000 | 4,500 | 6-speed manual | 4HK1-TCN | 114 @ 2,600 | 419 @ 1,600 - 2,600 | Short | 2.3 |
| NPR 45/55-155 AMT TIPPER | N Wide | 4,500 / 5,500 | 9,000 | 4,500 | 6-speed AMT | 4HK1-TCN | 114 @ 2,600 | 419 @ 1,600 - 2,600 | Short | 2.3 |
| NPR 65/45-190 TIPPER | N Wide | 6,500 / 4,500 | 10,000 / 9,000 | 4,500 | 6-speed manual | 4HK1-TCC | 140 @ 2,600 | 513 @ 1,600 - 2,600 | Medium | 3 |
| NPR 65/45-190 CREW TIPPER | N Wide | 6,500 / 4,500 | 10,000 / 9,000 | 4,500 | 6-speed manual | 4HK1-TCC | 140 @ 2,600 | 513 @ 1,600 - 2,600 | Long | 2.8 |
| NPR 75-190 TIPPER | N Wide | 7,500 | 11,000 | 4,500 | 6-speed manual | 4HK1-TCC | 140 @ 2,600 | 513 @ 1,600 - 2,600 | Medium | 3 |
| NQR 87/80-190 AMT TIPPER | N Wide | 8,700 /8,000 | 12,200 | 4,500 | 6-speed manual | 4HK1-TCC | 140 @ 2,600 | 513 @ 1,600 - 2,600 | Medium | 3.6 |
| FRR 107-210 TIPPER | F Narrow | 10,700 | 16,000 | N/A | 6-speed manual | 4HK1-TCS | 154 @ 2,400 | 726 @ 1,600 - 2,400 | Medium | 3.8 |
| FRR 107-210 AMT TIPPER | F Narrow | 10,700 | 16,000 | N/A | 6-speed AMT | 4HK1-TCS | 154 @ 2,400 | 726 @ 1,600 - 2,400 | Medium | 3.8 |
| FSR 140/120-260 TIPPER | F Narrow | 14,000 / 12,000 | 20,000 | N/A | 6-speed manual | 6HK1-TCC | 191 @ 2,400 | 761 @ 1,450 - 2,400 | Medium | 5.2 |

Freightpack Range

| MODEL | CAB | GVM (kg) | GCM (kg) | Max Towing (kg) | TRANSMISSION (GEARS/TYPE) | ENGINE | POWER (kW@RPM) | TORQUE (Nm@RPM) | WHEELBASE (mm) | BODY (m) |
|----------------------------------|----------|-----------------|----------|-----------------|---------------------------|----------|----------------|---------------------|----------------|-----------------|
| FRR 110-240 AMT LWB FREIGHTPACK | F Narrow | 11,000 | 16,000 | N/A | 6-speed AMT | 4HK1-TCH | 177 @ 2,400 | 765 @ 1,600 - 2,400 | Long | 6.4 (10 Pallet) |
| FRR 110-260 AUTO LWB FREIGHTPACK | F Narrow | 11,000 | 16,000 | N/A | 6-speed Automatic | 6HK1-TCC | 191 @ 2,400 | 761 @ 1,450 - 2,400 | Long | 6.4 (10 Pallet) |
| FSR 140-240 AMT LWB FREIGHTPACK | F Narrow | 14,000 / 12,000 | 16,000 | N/A | 6-speed AMT | 4HK1-TCH | 177 @ 2,400 | 765 @ 1,600 - 2,400 | Long | 7.6 (12 Pallet) |
| FSR 140-260 AUTO LWB FREIGHTPACK | F Narrow | 14,000 / 12,000 | 20,000 | N/A | 6-speed Automatic | 6HK1-TCC | 191 @ 2,400 | 761 @ 1,450 - 2,400 | Long | 7.6 (12 Pallet) |
| FVL 240-300 AUTO LWB FREIGHTPACK | F Wide | 24,000 | 32,000 | N/A | 6-speed Automatic | 6HK1-TCS | 221 @ 2,400 | 981 @ 1,450 - 2,400 | Long | 9.0 (14 Pallet) |

Isuzu Care.

Isuzu Care is the most comprehensive customer care programme ever seen in the Australian truck market. It offers truck buyers and owners a suite of innovative support services and a level of customer care that is setting new industry standards.



ISUZU CARE TEAM.

Why would you trust your Isuzu to anyone but an Isuzu-trained technician? With meticulous training tailored specifically to Isuzu trucks, our team carries out servicing and repairs to manufacturer-documented standards (and that means the highest level possible!).

DEALER NETWORK.

Isuzu has an extensive network of dealers around Australia. So no matter where you are, you'll never be too far from a dealer if you need support.



6 YEAR FACTORY WARRANTY.

All new 4x2 N Series trucks come standard with our brand new, industry-leading 6 year factory warranty, covering the cab and chassis only. Any Ready-to-Work truck bodies and all AWD, 4x4 and F Series models are still covered by the original 3 year factory warranty.

EXTENDED ASSIST.

Isuzu Extended Assist* provides a 2 year extension to Isuzu's 3 year roadside assist program. Available when you buy your truck, it's the ultimate peace-of-mind.

*At additional cost. Only available on F Series, NLS & NPS models.

3 YEAR WARRANTY ON READY-TO-WORK BODIES.

Buy one of our Ready-to-Work range and you'll rest easy knowing that cab and chassis are covered by our industry-leading 6 year factory warranty*. But how about the truck body? Well, relax because your truck's body is now covered with a 3 year warranty, as well.

*N Series 4x2 models only.

Agree to less servicing stress.

Few things cause as much pain to a business as a big, unexpected bill.

And while Isuzu can't help with all of your outgoings, our service agreements will flatten your truck servicing costs into a single, predictable, monthly payment (or upfront fee in the case of Isuzu Essentials).



INCREASED RE-SALE VALUE, DECREASED RISK.

Looking after your truck pays bigger dividends than just better performance. Proper maintenance lowers the total cost of ownership, reduces downtime, and improves the revenue of every load. When the time comes to upgrade, a comprehensive service history means you'll get top dollar.

You can also rest easy knowing that with a service agreement you'll be running a well-maintained fleet, which means safer trucks for your drivers. However, it's not just about protecting people... although obviously that reason is enough. With the new Chain of Responsibility laws, proper servicing also protects your business.



Isuzu Essentials.

Available on new trucks only and paid upfront, Isuzu Essentials covers your truck's first three regular services up to either your 36 month or 45,000 or 60,000km service (Whichever comes first. Distance depends on truck model).

Genuine Filters & Lubricants*

Check and Report Fault Codes

Wheel Bearing Re-pack (F Series only)

Lubricating All Joints

Washer Fluids

Labour

Valve Adjustments

Consumables

Environmental

Isuzu Essentials Plus.

Essentials Plus is available on new trucks and trucks currently in use, up to 36 months old. This plan also covers consumables such as wiper blades, light globes, fuses and fan belts.

Genuine Filters & Lubricants

Check and Report Fault Codes

Wheel Bearing Re-pack

Lubricating All Joints

Globes – Stop, Tail, Number Plate, Indicator, Headlight, Interior

Wiper Blades

Relays & Fuses

Fan Belts & Coolant Hoses

Washer Fluids

Labour

Valve Adjustments

Consumables

Environmental

AVAILABLE EXTENDED OPTIONS.

For Isuzu Essentials Plus and Isuzu Total.

| ■ Extended Care |
|-------------------------|
| Extended Assist |
| □ After-Hours Servicing |
| □ Glass Coverage |
| □ Fuel Card |
| □ Pick Up & Drop Off |

Isuzu Total.

Our most comprehensive new truck service agreement. It covers everything included in Essentials Plus, as well as engine, transmission, driveline, brakes, suspension, and electrical componentry.

- Genuine Filters & Lubricants Check and Report Fault Codes Wheel Bearing Re-pack Lubricating All Joints Globes – Stop, Tail, Number Plate, Indicator, Headlight, Interior Wiper Blades Relays & Fuses ☐ Fan Belts & Coolant Hoses Washer Fluids Engine Components Transmission Components Brake Components Suspension Components ☐ Electrical Components
- □ Environmental

■ Valve Adjustments

Consumables

Make it your own.

Genuine Isuzu accessories are designed to improve your experience of owning and driving an Isuzu by enhancing your truck's practicality and style. And you can rest easy knowing that all Isuzu accessories are designed and manufactured to meet Isuzu's rigorous engineering standards. So personalise your pride and joy.



ISUZU GENUINE BULLBAR.


The Isuzu Trucks approved genuine accessory bullbar has been designed to perfectly follow the lines of your truck. But this design doesn't just look good. Its precision manufacturing process, including robotic welding and meticulous Macro weld testing, has created a bullbar that also works in perfect partnership with Isuzu airbags.






















isuzu.com.au

Isuzu Australia Limited ABN 97 006 962 572 ("IAL"). The information in this brochure was correct at time of printing, but all measurements, specifications and equipment are subject to change without notice, bodies and equipment featured in this brochure may have changed, may not be genuine accessories and are available at an additional cost. IAL may make changes at any time without notice, in prices, colours, materials, equipment and models. IAL makes all reasonable attempts to ensure the availability of all vehicles and equipment. The information in this brochure is general in nature. Your Isuzu Truc Dealer can confirm all measurements, specifications and vehicle/equipment availability upon request. Any body illustrated is not necessarily standard equipment. NOV2021 FSA/ISZ12967

Printed on environmentally responsible and carbon neutral paper.

